

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"5,602,975"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/09/02 15:03
L3	11	(computer external workstation host client) with send with (warm\$3 near2 up reset\$3 wak\$3 near2 up) with printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/09/02 15:09
L4	12	"6,654,895"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/09/02 15:29
S1	15912	(reset\$4 restart\$3 (warm\$3 start\$3) near2 up) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/13 18:12
S2	552	S1 with (valid invalid request\$3 command\$3 instruction\$3 mode \$1 setting\$3) with (user client administrator admin supervisor manager)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/05 20:57

S3	201	S1 with (valid invalid request\$3 command\$3 instruction\$3 mode \$1 setting\$3) with (user client administrator admin supervisor manager) and "358". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/06 15:47
S4	1027	(deny\$3 prevent\$3 avoid\$3 "not" whether valid invalid decid\$3 judg \$4 determin\$4) near6 (warm\$1up start\$1up reset\$4 restart\$4) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/13 18:12
S5	287	(deny\$3 prevent\$3 avoid\$3 "not") near6 (warm\$1up start\$1up reset\$4 restart\$4) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/06 16:45
S6	37	(deny\$3 prevent\$3 avoid\$3 "not") near6 (warm\$1up start\$1up reset\$4 restart\$4) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp) and "358".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/06 16:13

S7	42	(deny\$3 prevent\$3 avoid\$3 "not") near6 (warm\$1up start\$1up) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/06 16:45
S8	0	(deny\$3 prevent\$3 avoid\$3 "not") near6 (warm\$1up start\$1up reset\$4 restart\$4) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp) with (user client manager supervisor admin administrator) with (command43 instruction\$3 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/06 16:47
S9	1	(deny\$3 prevent\$3 avoid\$3 "not") near6 (warm\$1up start\$1up reset\$4 restart\$4) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp) same (user client manager supervisor admin administrator) with (command43 instruction\$3 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/06 16:47

S10	15	(deny\$3 prevent\$3 avoid\$3 "not" whether valid invalid decid\$3 judg \$4 determin\$4) near6 (warm\$1up start\$1up reset\$4 restart\$4) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp) same (user client manager supervisor admin administrator) with (command43 instruction\$3 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/06 16:53
S11	2064	(reset\$3 restart\$3) with sleep\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/13 18:12
S12	638	S11 and (printer printing near3 (apparatus machine \$1 device\$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/13 18:13
S13	663	S11 and (printer\$1 printing near3 (apparatus machine \$1 device\$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/13 18:13
S14	2064	(reset\$3 restart\$3) with sleep\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/13 18:14

S15	36	S14 with (printer\$1 printing near\$3 (apparatus machine \$1 device\$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/13 18:14
S16	6	(US-5664074-\$ or US-6693717-\$ or US-6753973-\$ or US-5828462-\$ or US-6407826-\$ or US-7016740-\$).did.	USPAT	OR	OFF	2007/11/15 18:28
S17	3	(US-5664074-\$ or US-6693717-\$ or US-6753973-\$ or US-5828462-\$ or US-6407826-\$ or US-7016740-\$).did. and CPRDY	USPAT	OR	OFF	2007/11/15 18:28
S18	218	(user\$1 operator\$1 client\$1 manager\$1 admin\$1 administrator\$1) with (select\$3 determin\$3 choos \$3) with (mode\$1) with (warm\$1up\$1 warm\$3 near2 up reset\$4) and (printer \$1 copier copying fax facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/12/28 16:55
S19	219	(user\$1 operator\$1 client\$1 manager\$1 admin\$1 administrator\$1) with (select\$3 determin\$3 choos \$3) with (mode\$1) with (warm\$1up\$1 warm\$3 near2 up reset\$4) and (printer \$1 copier\$1 copying \$1 fax\$2 facsimile \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/12/28 16:55
S20	3	("6877112").URPN.	USPAT	OR	OFF	2008/01/04 15:23

S21	9	(US-5828462-\$ or US-6753973-\$ or US-6407826-\$ or US-7016740-\$ or US-5664074-\$ or US-6693717-\$ or US-5636332-\$ or US-5832283-\$ or US-6877112-\$).did.	USPAT	OR	OFF	2008/01/04 15:53
S22	9	S21 and (user operator)	USPAT	OR	OFF	2008/01/04 15:53
S23	16	("4740096"   "5479275"   "5501534"   "5532935").PN. OR ("5636332").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 17:47
S24	12	("5636332").URPN.	USPAT	OR	OFF	2008/01/04 17:42
S25	5	S24 and sleep	USPAT	OR	OFF	2008/01/04 17:42
S26	6	S23 and sleep	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 17:48
S27	2848	sleep near3 mode near5 time	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 17:48
S28	397	sleep near3 mode near5 time and printer	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 17:48
S29	64	sleep near3 mode near5 time and printer and "358". clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 17:49
S30	65	sleep near3 mode near5 time and printer\$1 and "358". clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/06 14:46
S31	2	("5,602,975" "6407826").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/06 14:47
S32	2	("5,602,975" "6407826").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/06 14:57

S33	10	(deny\$3 prevent\$3 avoid\$3 "not" whether valid invalid decid\$3 judg \$4 determin\$4) near6 (warm\$1up start\$1up reset\$4 restart\$4) with (printer printing near3 (apparatus machine\$1 device \$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp) and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 15:44
S34	11749	(user\$1 operator\$1 client\$1) with (decid \$3 judg\$4 determin \$4 choos\$3 select\$3 mode\$1) with (warm \$up\$1 start\$up reset \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 15:48
S35	6879	(user\$1 operator\$1 client\$1) near4 (decid\$3 judg\$4 determin\$4 choos\$3 select\$3 mode\$1) with (warm\$up\$1 start\$up reset\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 15:48
S36	407	(user\$1 operator\$1 client\$1) near4 (decid\$3 judg\$4 determin\$4 choos\$3 select\$3 mode\$1) with (warm\$up\$1 start\$up reset\$4) same (printer printing near3 (apparatus machine \$1 device\$1) facsimile fax copier copy\$3 multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 15:48

S37	281	(user\$1 operator\$1 client\$1) near4 (decid\$3 judg\$4 determin\$4 choos\$3 select\$3 mode\$1) with (warm\$up\$1 start\$up reset\$4) same (printer (printing copy\$3) near3 (apparatus machine\$1 device \$1) facsimile fax copier multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 15:49
S38	15	(user\$1 operator\$1 client\$1) near4 (decid\$3 judg\$4 determin\$4 choos\$3 select\$3 mode\$1) with (warm\$up\$1 start\$up reset\$4) with (deny\$3 prevent\$3 avoid\$3 inhibit\$3 prohibit\$3 invalid invalidat\$3) same (printer (printing copy\$3) near3 (apparatus machine\$1 device \$1) facsimile fax copier multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 15:53
S39	39	(user\$1 operator\$1 client\$1) near4 (decid\$3 judg\$4 determin\$4 choos\$3 select\$3 mode\$1) with (warm\$up\$1 start\$up reset\$4) with (deny\$3 prevent\$3 avoid\$3 inhibit\$3 prohibit\$3 invalid invalidat\$3) and (printer (printing copy\$3) near3 (apparatus machine\$1 device \$1) facsimile fax copier multi \$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 15:56



S40	142	(user\$1 operator\$1 client\$1) near4 (deny\$3 prevent\$3 avoid\$3 inhibit\$3 prohibit\$3 invalid invalidat\$3 decid\$3 judg\$4 determin\$4 choos\$3 select\$3 mode\$1) with (warm \$up\$1 start\$up reset \$4) with power and (printer (printing copy\$3) near3 (apparatus machine \$1 device\$1) facsimile fax copier multi\$1function\$2 mfp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 15:57
S41	3285	(user\$1 operator\$1 client\$1) near4 (deny\$3 prevent\$3 avoid\$3 inhibit\$3 prohibit\$3 invalid invalidat\$3 decid\$3 judg\$4 determin\$4 choos\$3 select\$3 cancel\$3) near5 (warm\$up\$1 start \$up reset\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/29 16:00
S42	12	"6,654,895"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/08/19 13:18
S43	4	"6,654,895" and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/08/19 13:18

9/ 2/ 08 3:54:37 PM

C:\Documents and Settings\yqin\My Documents\EAST\Workspaces\YQ case 122 -  
Endo - Reset mode validation.wsp